



GROVE GMK 2035



GROVE GMK 2035 (SH/SF)



GROVE GMK 2035 (SH)

Outrigger base: 6.325x6.2m

Mainboom																		
Boom length	Ballast	Radius																
		3	4	5	6	7	8	9	10	11	12	14	16	18	20	22	24	26
8.9	6	31.5	25.5	20.5	16.6													
12.2		25	23.5	20	16.4	13.6	10.7	8.7	7.3									
12.3		15	15	15	15	14.2	11.6	9.5	8									
15.5		20	20	17.8	15.7	13	10.5	8.5	7.1	5.9	5							
15.6		20	20	17.8	15.7	13	10.5	8.5	7.1	5.9	5							
18.9		15	15	15	14.3	12.7	10.6	8.9	7.4	6.3	5.4	4	3.1					
19		11	11	11	11	10.4	9.4	8.8	8.1	7.1	6.2	4.8	3.9					
22.3		13	13	13	13	12.5	11.5	10.4	8.9	7.4	6.4	5.3	4.3	3.9	3.2	2.7		
22.4			8.8	8.8	8.8	8.8	7.9	7.3	6.7	6.1	5.7	4.9	4	3.2	2.7			
25.6			10.5	10.5	10.5	9.9	9.2	8.5	7.6	6.5	5.6	4.3	3.4	2.7	2.4	2		
25.7			8.8	8.6	7.8	6.9	6.2	5.7	5.2	4.7	4.3	3.7	3.2	2.7	2.4	2		
29				8	8	7.8	7.6	7.4	7.1	6.6	5.7	4.5	3.5	2.8	2.3	1.8	1.5	1.2
8.9	3	31	24.5	19	15.2													
12.2		25	23.5	18.8	14.7	10.9	8.5	6.9	5.6									
12.3		15	15	15	15	11.8	9.3	7.6	6.3									
15.5		20	20	17.2	13	10.3	8.3	6.7	5.4	4.5	3.8							
15.6		13	13	11.5	10.2	9.1	8.2	7.6	6.6	5.6	4.8							
18.9		15	15	15	14	11	8.7	7	5.8	4.8	4.1	3	2.2					
19		11	11	11	11	10.4	9.4	8	6.7	5.7	4.9	3.8	3					
22.3		13	13	13	12.2	9.9	8.2	6.9	5.9	5	4.3	3.2	2.4	1.8	1.3			
22.4			8.8	8.8	8.8	8.8	7.9	7.3	6.7	5.8	5	3.9	3	2.4	2			
25.6			10.5	10.5	10.5	9.6	8	6.8	5.9	5.1	4.4	3.3	2.5	1.9	1.5	1.1		
25.7			8.8	8.6	7.8	6.9	6.2	5.7	5.2	4.7	4.3	3.6	2.8	2.2	1.7	1.4		
29				8	8	7.8	7.6	6.7	5.8	5.1	4.4	3.4	2.6	2	1.6	1.2	0.9	0.7

GROVE GMK 2035 (SF)

Outrigger base: 6.325x6.2m

Ballast: 6.0t

Mainboom with fixed jib																									
Boom length	Jib length	Jib offset	Radius																						
			4	4.5	5	6	7	8	9	10	11	12	14	16	18	20	22	24	26	28	30	32	34		
18.9	8.5	5	6.6	6.6	6.6	6.6	6.2	5.8	5.4	5.1	4.7	4.5	4	3.7	2.9	2.3	1.9	1.5							
		20				4.8	4.6	4.4	4.2	4	3.8	3.7	3.3	3	2.9	2.4	2	1.5							
		40						3.4	3.3	3.1	3	2.9	2.8	2.7	2.7	2.5									
	15	5				3.3	3.3	3.3	3.2	3	2.7	2.6	2.3	2.1	1.9	1.8	1.7	1.5	1.4	1.3					
		20							2.4	2.3	2.1	2.1	1.9	1.8	1.7	1.5	1.5	1.4	1.3	1.3	1.1				
		40											1.6	1.5	1.4	1.4	1.3	1.3	1.3						
19	8.5	5	5.9	5.9	5.9	5.9	5.8	5.4	5.1	4.8	4.5	4.3	3.9	3.5	3.2	2.8	2.4	2							
		20				4.7	4.5	4.3	4.1	3.9	3.8	3.6	3.4	3.1	2.9	2.7	2.4	2							
		40						3.4	3.2	3.1	3	2.9	2.8	2.7	2.7	2.6									
	15	5				3.3	3.3	3.3	3.1	2.9	2.7	2.5	2.3	2.1	1.9	1.8	1.6	1.5	1.4	1.3					
		20								2.2	2.1	2	1.9	1.7	1.6	1.5	1.5	1.4	1.3	1.3	1.3				
		40											1.6	1.5	1.4	1.4	1.3	1.3	1.3						
22.3	8.5	5			5.8	5.8	5.8	5.8	5.5	5.2	4.8	4.6	4.2	3.7	2.9	2.4	1.9	1.5	1.2	1					
		20					4.6	4.4	4.3	4.1	3.9	3.8	3.5	3.2	3	2.5	2	1.6	1.3						
		40						3.2	3.2	3.1	3	3	2.9	2.8	2.7	2.6	2.1								
	15	5					3.1	3.1	3	2.9	2.8	2.7	2.4	2.2	2	1.9	1.8	1.6	1.5	1.3					
		20								2.3	2.2	2.1	1.9	1.8	1.7	1.6	1.5	1.5	1.4	1.3	1.1	0.9			
		40											1.6	1.5	1.4	1.4	1.3	1.3	1.3	1.3	1.2				
22.4	8.5	5			5	5	5	4.9	4.8	4.7	4.6	4.3	3.8	3.3	2.8	2.5	2.3	2	1.7	1.4					
		20					4.5	4.3	4.2	4	3.8	3.7	3.5	3.1	2.8	2.5	2.3	2	1.7						
		40						3.3	3.1	3	2.9	2.8	2.8	2.7	2.6	2.3									
	15	5					2.7	2.7	2.7	2.7	2.7	2.6	2.4	2.2	2	1.9	1.7	1.6	1.5	1.4					
		20									2.1	2.1	1.9	1.8	1.7	1.6	1.5	1.4	1.4	1.3	1.3	1.2			
		40										1.6	1.5	1.4	1.4	1.3	1.3	1.3	1.3	1.3	1.3	1.2			
25.6	8.5	5			4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.5	4.4	3.7	3	2.4	1.9	1.6	1.3	1	0.8				
		20						4.4	4.3	4.1	4	3.8	3.6	3.4	3.1	2.5	2.1	1.7	1.3	1	0.8				
		40							3.3	3.2	3.1	3	2.9	2.8	2.7	2.7	2.1	1.7	1.4						
	15	5					2.5	2.5	2.5	2.5	2.5	2.5	2.5	2.3	2.1	2	1.8	1.7	1.5	1.2	1	0.8	0.6		
		20									2.2	2.1	2	1.8	1.7	1.6	1.6	1.5	1.4	1.4	1.1	0.9	0.7		
		40												1.5	1.5	1.4	1.4	1.3	1.3	1.3	1.2	1			
29	8.5	5				3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3	2.4	2	1.6	1.3	1	0.8	0.6			
		20							3.5	3.5	3.5	3.5	3.5	3.4	3.1	2.6	2.1	1.7	1.4	1.1	0.8	0.6			
		40								3.1	3.1	3	2.9	2.8	2.7	2.7	2.2	1.8	1.4	1.1					
	15	5						2	2	2	2	2	2	2	2	2	1.9	1.8	1.5	1.2	1	0.8	0.6		
		20										2	2	1.9	1.8	1.7	1.6	1.5	1.5	1.4	1.1	0.9	0.7		
		40												1.5	1.5	1.4	1.4	1.4	1.3	1.3	1.2	1	0.8		